

Datasheet

++



Model CUBE 2 FLAT model year 2024 (standard equipment / as of 01 – 2024)					
Pos	Quantity	Product	Best.Nr.	Price € incl. 19 % VAT	approx. weight kg
1.	1	Metrics	4000000		
		Overall dimensions (exterior) L 3900 x W 2000 x H 1300 Total dimensions (inside) L 2500 x W 1430 x H 800	A000XXX		
		<u>Weights</u>			
		Permissible total weight 750 kg (load increase up to 1250 kg possible)			
		Curb weight 390 kg (standard equipment)			
		Payload 360 kg			
		(depending on equipment and load capacity up to 820 kg			
		possible)			
		<u>Technology</u>			
		2 pcs. Steel rims 6J 15 H2 load capacity 950 KG / pcs. Tyres 195 / 65 R15			
		1 axle AL-KO® 750 kg			
		1 ball coupling AL-KO®			
		1 jockey wheel AL-KO®			
		2 sliding supports AL-KO®			
		2 wheel chocks AL-KO®			
		2 pcs. LED lighting units			
		2 pcs LED position lights			

Load 1 set of aluminium lashing rails (airline rails) consisting of: 3 pcs. recessed in the bottom 1 piece each (2 sides) on the walls + 1 piece on the front wall 8 eyelets 4 pcs hooks 1 full extension to the outside (1200 mm / 50 kg wing loading) 1 pc LED lighting with mignon battery Wall / Roof / Flap / Floor GRP sandwich polyester Colour similar to RAL 9016 / Design Stripe SPORTCARAVAN 1 flap W 1430 x H 700 incl. locking Bottom screen printing plate (total thickness 16 mm) 1 cable outlet in the bottom		
Other Documents Factory pick-up	7.900,00 Ex works	390

1	Incl. a		TÜV registration				
1	Pos		Product	Best.Nr.	Price € incl. 19 % VAT		
Composed of:		nology					
Only in combination with 100 Km/h registration package 2 pcs aluminum rims graphite 63 15 H2 load capacity 950 KG 3 3 3 3 3 3 3 3 3	2.	1	Composed of: 1 pc. reinforced axle AL-KO ® 1 overrun brake 2 pcs hydraulic shock absorbers 2 tyres with speed index min. L	A001171	1570,00	+38	
Standard tyres 195 / 65 R15 Elimination of standard wheels	3.	1	Load capacity up to 1250 kg = approx. 800 kg payload depending on equipment Only in combination with 100 Km/h registration package 2 pcs aluminum rims graphite 6J 15 H2 load capacity 950 KG A000840 A001172 A001172 A000840 A000840				
Standard tyres 195 / 65 R15 incl. bracket under garage 2 pcs aluminum rims graphite 6J 15 H2 load capacity 950 KG A000841 700,00 +9	4.	1	Standard tyres 195 / 65 R15 Elimination of standard wheels	450,00	-3		
Offroad - Tyres Yokohama GEOLANDER A/T 215 / R15 approx. 50 mm more ground clearance Elimination of standard wheels 1 Spare wheel aluminium rims graphite 6J 15 H2 load capacity 950 KG Offroad - Tyres Yokohama GEOLANDER A/T 215/75 R15 / 5 holes 112 / ET 30 incl. bracket underbody **Reterior construction** 1 Exterior Design Halfgrey A000XXX 290,00 +1 Exterior design omitted A000525 0,00 / D. 1 SPORTCARAVAN railing system (roof load 300 kg when stationary – 100 kg when driving) Composed of: 2 x Base Carrier 4 x Airline Rails 2 x Cross Beams 1 X Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 3 x Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 3 x Foldable roof rack system	5.	1		A000519	160,00	+21	
Composed of: 1 Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x Cross Beams 2 x Gas Spring Conly in combination with the SPORTCARAVAN railing system Other in the station of the stationary of the specific or the stationary of the sta	5.	1	Offroad - Tyres Yokohama GEOLANDER A/T 215 / R15 approx. 50 mm more ground clearance		700,00	+9	
1 Exterior Design Halfgrey A000XXX 290,00 +1 1 Exterior design omitted A000525 0,00 / 2 SPORTCARAVAN railing system (roof load 300 kg when stationary – 100 kg when driving) A000XXX 1.290,00 +65 Composed of: • 2 x Base Carrier • 4 x Airline Rails • 2 x Cross Beams 1. 1 Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) A000XXX 1.190,00 +32 Composed of: • 2 x brackets • 2 x Cross Beams • 2 x Cross Beams • 2 x Folding Joints • 2 x Gas Spring Only in combination with the SPORTCARAVAN railing system	7.	1	Offroad - Tyres Yokohama GEOLANDER A/T 215/75 R15 / 5 holes 112 / ET 30		+26		
1 Exterior design omitted 2 SPORTCARAVAN railing system (roof load 300 kg when stationary – 100 kg when driving) 3 Composed of: • 2 x Base Carrier • 4 x Airline Rails • 2 x Cross Beams 1 Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: • 2 x brackets • 2 x Cross Beams • 2 x Cross Beams • 2 x Folding Joints • 2 x Gas Spring Only in combination with the SPORTCARAVAN railing system	xter	ior construc	tion				
SPORTCARAVAN railing system (roof load 300 kg when stationary – 100 kg when driving) Composed of: 2 x Base Carrier 4 x Airline Rails 2 x Cross Beams 1. Foldable roof rack system (roof load 80 kg when stationary – 80 kg when driving) Composed of: 2 x brackets 2 x Cross Beams 2 x Cross Beams 2 x Folding Joints 2 x Gas Spring Only in combination with the SPORTCARAVAN railing system	3.					+1	
Composed of: • 2 x Base Carrier • 4 x Airline Rails • 2 x Cross Beams • 2 x Cross Beams • 2 x brackets • 2 x brackets • 2 x Folding Joints • 2 x Gas Spring Only in combination with the SPORTCARAVAN railing system).	1				1	
Composed of: • 2 x brackets • 2 x Cross Beams • 2 x Folding Joints • 2 x Gas Spring Only in combination with the SPORTCARAVAN railing system	10.	1	Composed of: • 2 x Base Carrier • 4 x Airline Rails	A000XXX	1.290,00	+65	
	11.	1	Composed of: • 2 x brackets • 2 x Cross Beams • 2 x Folding Joints • 2 x Gas Spring	A000XXX	1.190,00	+32	
2. 1 Additional cross member A000853 190 00 +5	2.	1	Additional cross member	A000853	190,00	+5	

		Only in combination with the SPORTCARAVAN railing system			
13.	1	Roof tent VICKYWOOD small Willow 160 grey our recommendation for the CUBE 2 FLAT (lying surface approx. W 1600 x L 2400) Incl. adapter plates + mounting Only in combination with the SPORTCARAVAN railing system Information: Almost all VICKYWOOD roof tent models are compatible with the CUBE 2 FLAT model in conjunction with the SPORTCARAVAN railing system (More info at www.vickywood.com)	A0010XXX	2200,00	+64
.oad					
14.	1	Aluminum box on drawbar (Splash-proof / lock / max. load 40 kg / L 700 x D 350 x H 500)	A000843	460,00	+16
15.	1	Bicycle carrier THULE ® on drawbar for 2 bicycles incl. adapter + mounting	A000824	240,00	+5
16.	1 pair			220,00	+5
L7.	1	Water canister 20 liters incl. bracket and adapter plates Only in combination with the SPORTCARAVAN railing system	A000857	240,00	+8
18.	1 pair	Canoe mount Can only be folded in conjunction with SPORTCARAVAN railing system + roof rack system		80,00	+8
L9.	1	Bicycle rack Can only be folded in conjunction with SPORTCARAVAN railing system + roof rack system A000XXX 130,00		+14	
20.	1	Additional hooks for airline rail	A000885	10,00	1
21.	1	Additional eyelets (lightweight design for fixing light objects to the wall)	A000007	10,00	1
22.	1	Belt system for airline rail	A000816	25,00	1
Cook					
23.	1	Cool box Va-Q-Tec QOOL Box Eco+ M with 4 Temperature Elements incl. belt system (Passive / no power required)	A000912	470,00	+10
24.	1	Portable gas hob for gas cartridge	A00XXXX	45,00	+1
Othe	•				
25.	1	Factory pick-up (Harthausen)	A001173	0,00	1
26.	1	Shipping costs to the dealer (FRG)	A001174	390,00	1
27.	1	Delivery (Germany flat rate)	A000677	800,00	1
28.	1	Delivery (International)	A000699	On request	1

Information (as of 10 / 2021)

All prices are non-binding recommended retail prices incl. 19 % VAT ex works Harthausen.

Prices for special equipment are only valid for series – new production.

In the case of subsequent orders of optional equipment, a surcharge for subsequent installation may be charged.

The figures for dimensions and weights are approximate values (dimensions in mm / weights in kg)

The tare weight is the same as the standard equipment without optional extras.

Illustrations do not always correspond to the standard equipment.

Illustrations show some optional extras

The technically permissible gross weight, permissible axle loads and drawbar load must not be exceeded.

The type of galvanizing of the steel components may vary. Therefore, color differences are possible.

Deformations / pressure points on the GRP surface (inside and outside) are possible.

Tyres up to 3 years old are considered brand new. However, they then only have a limited useful life.

Condensation can be possible due to temperature differences and humidity.

All orders are subject to our New Car Terms and Conditions of Sale (as of 03 - 2021)

and our terms and conditions.

Goods remain the property of GROSS und Co. Anhänger GmbH until full payment has been made.

Offers are valid for 1 month after the date of creation, unless otherwise stated.

The copyright is held by Gross und Co. Follower GmbH

Patent and Trademark Law (Europe) Registered Community Design No. 002652867-001

Subject to change.

Errors excepted

Place of jurisdiction: Speyer am Rhein Place of fulfilment Speyer am Rhein

Gross & Co. Follower GmbH Managing Director	Commercial Register LU HRB	Seat:	Phone:0049-(0)6344-944880	Volksbank Kur – und Rheinpfalz
Steffen Groß	64465	Alte Kirchstr. 9b	Mail: info@sportcaravan.de	IBAN: DE 78 5479 0000 000 1 3442 77
Dirk Picklaps	VAT Id.Nr. DE 300275932	67374 Hanhofen bei Speyer	www.SPORTCARAVAN.de	BIC: GENODE61 SP